

# Messungen am FA-SDR Preselector

Suche nach der günstigsten  
Schalterstellung


Version 001

Jörn Bartels, DK7JB  
<http://www.bartelos.de>


Juni 2011

**FA-SDR von DK7JB Juni 2011**  
**eigene Messungen – können nicht**  
**verallgemeinert werden**


5dB/	1:	1.75MHz	-2.81dB	-17.73dB	-45.98dB	-52.51dB	-2.81dB
	2:	1.91MHz	-16.87dB	-3.17dB	-44.62dB	-51.39dB	-16.87dB
	3:	3.66MHz	-35.81dB	-35.49dB	-10.03dB	-37.21dB	-35.81dB
	4:	4.36MHz	-38.10dB	-37.94dB	-32.92dB	-15.13dB	-38.10dB



5dB/	1:	2.91MHz	-1.75dB	-22.64dB	-45.46dB	-48.23dB
	2:	3.64MHz	-20.40dB	-2.37dB	-42.40dB	-45.39dB
	3:	7.08MHz	-33.22dB	-32.55dB	-9.41dB	-25.67dB
	4:	7.68MHz	-34.18dB	-33.71dB	-23.91dB	-10.91dB



5dB/	1:	5.27MHz	-31.98dB	-43.23dB	-1.09dB	-20.60dB	-31.98dB	-41.32dB
	2:	7.10MHz	-26.24dB	-39.54dB	-17.59dB	-1.54dB	-26.24dB	-37.47dB
5dB/	3:	10.13MHz	-2.92dB	-33.39dB	-24.70dB	-21.97dB	-2.92dB	-30.56dB
	4:	14.11MHz	-25.24dB	-17.85dB	-28.87dB	-28.02dB	-25.24dB	-6.16dB
5dB/	5:	15.06MHz	-26.85dB	-6.88dB	-29.57dB	-28.92dB	-26.85dB	-16.62dB



5dB/	1:	11.59MHz	-30.10dB	-26.82dB	-0.80dB	-9.55dB	-18.29dB	-22.85dB
	2:	14.18MHz	-27.31dB	-23.65dB	-7.75dB	-0.92dB	-12.91dB	-18.96dB
5dB/	3:	18.10MHz	-22.91dB	-18.20dB	-13.85dB	-10.49dB	-1.16dB	-10.96dB
	4:	21.20MHz	-18.71dB	-12.25dB	-16.50dB	-14.53dB	-9.13dB	-1.58dB
5dB/	5:	24.90MHz	-12.47dB	-1.74dB	-18.64dB	-17.49dB	-14.79dB	-10.54dB
	6:	28.45MHz	-2.17dB	-10.55dB	-20.00dB	-19.22dB	-17.53dB	-15.23dB

